

# Maruzen Induction Cooker

MIH- L22C



## ■ Induction Cooker – Emission Skeleton Model (Table Counter 2 kw)

Model	Dimension (mm)			Plate Size (mm)		Palte	Electricity (50/60Hz)	Electric Consumption		Weight (kgs.)
	Width	Depth	Height	Width	Depth					
MIH-L02C	300	500	120	275	300	1	200V/1Ph	2kW	2.0 kW	10.5
MIH-L22C	600	500	120	275	300	2	200V/1Ph	2kW + 2kW	4.0 kW	21.6

## ■ Induction Cooker – Emission Skeleton Model (Table Counter 2.5 kw)

Model	Dimension (mm)			Plate Size (mm)		Palte	Electricity (50/60Hz)	Electric Consumption		Weight (kgs.)
	Width	Depth	Height	Width	Depth					
MIH-L02HC	300	500	120	275	300	1	200V/1Ph	2.5 kW	2.5 kW	10.5
MIH-L2H2HC	600	500	120	275	300	2	200V/1Ph	2.5 kW + 2.5 kW	5.0 kW	21.6
MIH-L2H2C	600	500	120	275	300	2	200V/1Ph	2.5 kW + 2 kW	4.5 kW	21.6

### MIH-03C (3kW)



### MIHB-20C (2kW) Built-in Type



■ Induction Cooker – Table Counter 2 kw K means that a unit is equipped with high-intensity plate.

Model	Dimension (mm)			Plate Size (mm)		Palte	Electricity (50/60Hz)	Electric Consumption		Weight (kgs.)
	Width	Depth	Height	Width	Depth					
MIH-(K) 02C	300	450	120	275	300	1	200V/1Ph	2 kW	2 kW	10.5
MIH-(K) 22C	600	450	120	275	300	2	200V/1Ph	2 kW + 2 kW	4 kW	21.6

■ Induction Cooker – Table Counter 2.5 kw K means that a unit is equipped with high-intensity plate.

Model	Dimension (mm)			Plate Size (mm)		Palte	Electricity (50/60Hz)	Electric Consumption		Weight (kgs.)
	Width	Depth	Height	Width	Depth					
MIH-(K) 02HC	300	450	120	275	300	1	200V/1Ph	2.5 kW	2.5 kW	10.5
MIH-(K) 2H2HC	600	450	120	275	300	2	200V/1Ph	2.5 kW + 2.5 kW	5.0 kW	21.6
MIH-(k) 2H2C	600	450	120	275	300	2	200V/1Ph	2.5 kW + 2 kW	4.5 kW	21.6

■ Induction Cooker –Table Counter 3 kw K means that a unit is equipped with high-intensity plate.

Model	Dimension (mm)			Plate Size (mm)		Palte	Electricity (50/60Hz)	Electric Consumption		Weight (kgs.)
	Width	Depth	Height	Width	Depth					
MIH-(K) 03SC	300	490	145	275	300	1	200V/1Ph	3 kW	3 kW	11.5
MIH-(K) 3S3SC	600	490	145	275	300	2	200V/1Ph	3 kW + 3 kW	6 kW	23.6

■ Induction Cooker Built-in Type K means that a unit is equipped with high-intensity plate.

Model	Dimension (mm)			Plate Size (mm)		Palte	Electricity (50/60Hz)	Electric Consumption		Weight (kgs.)
	Width	Depth	Height	Width	Depth					
MIHB-(K) 20C	308	333	85	275	300	1	200V/1Ph	2 kW	2 kW	8.5
MIH-(K) 2HC	308	333	85	275	300	1	200V/1Ph	2.5 kW	2.5 kW	8.5

※ There is a difference in price between general plate and high-intensity plate.