

According to the menu, with strong fire, right away

Gas table stove

“New Hanjo”

Auto-ignition

Registered design

Please use pot/pan of $\phi 260\text{mm}$ or smaller.

- Equipped with powerful burner of 4.07kW (3,500kcal/h), cooking time becomes much shorter.
- Full-surface grid enables to move pots easily and also secures larger space for cooking.
- Forgings are used for the burner head. Rust resistant and more durable.
- Easily removable burner head enables easy and fast cleaning.
- Easy to remove the grid and the drip receiving tray. Easy cleaning and hygienic.
- Many models are available at your choice according to the use.

1stove

PS
TG

PS
LPG

M-821C



2stoves

PS
TG

PS
LPG

M-822DC



and slowly over a low flame.




Gas stoves with PS mark represent products in conformity to the technical standards specified by the government of Japan.

2 Stoves



M-822E



3 Stoves



M-823E



5 Stoves

M-825C



7 Stoves

M-827C



■ New Hanjo

※ Only for 13A

Model	External dimensions (mm)			No. of burners	Gas consumption		Gas connection		Weight (kg)
	Width	Depth	Height		Town gas	LPG	13A, 12A	LPG	
M-821C	300	300	164	1	4.07kW (3,500kcal/h)	3.49kW (0.25kg/h)	13mm (Rubber tube end) ※	9.5mm (Rubber tube end)	5.5
M-822E	600	320	164	2	8.14kW (7,000kcal/h)	6.98kW (0.50kg/h)	13mm (Rubber tube end) ※	9.5mm (Rubber tube end)	11.0
M-823E	780	350	164	3	12.2kW (10,500kcal/h)	10.5kW (0.75kg/h)	13mm (Rubber tube end) ※	9.5mm (Rubber tube end)	15.0
M-825C	780	540	164	5	20.4kW (17,500kcal/h)	17.4kW (1.25kg/h)	15A	15A	26.0
M-827C	1,020	540	164	7	28.5kW (24,500kcal/h)	24.4kW (1.75kg/h)	20A	20A	34.0
M-822DC	300	540	164	2	8.14kW (7,000kcal/h)	6.98kW (0.50kg/h)	13mm (Rubber tube end) ※	9.5mm (Rubber tube end)	10.5